

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Application of the substance / the mixture** Rechargeable battery

### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

**Tridonic GmbH & Co KG**

Färbergasse 15

6850 Dornbirn

Austria

Tel: +43 5572 395-0

sales@tridonic.com

**Further information obtainable from:**

Gerhard Radl

gerhard.radl@tridonic.com

### 1.4 Emergency telephone number:

+43 5572 395-0

Available during office hours:

Mo - Fr 8.00 - 16.00 h

**Call the national emergency number!**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

**Additional information:**

The product itself is declared as an article and is not subject to the provisions of classification in sense of the regulation (EC) No. 1272/2008.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** Void

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

**Additional information:**

The product itself is declared as an article and is not subject to the provisions of labeling in sense of the regulation (EC) No. 1272/2008.

### 2.3 Other hazards

NiMH batteries are gas-tight and harmless if the manufacturer's instructions are observed during use and handling.

Never use chargers that are not suitable for the type of battery with rechargeable batteries. The limits for maximum current load, charging and discharging voltage must be strictly adhered to! Do not short-circuit. Do not damage mechanically (pierce, deform, disassemble, etc.). Do not heat or burn above the permissible temperature. Keep batteries away from small children. Always store batteries in a dry and cool

(Contd. on page 2)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 1)

place.

NiMH batteries are safe to use when used properly and within the parameters specified by the manufacturer. Incorrect handling or circumstances resulting in improper operation may result in leakage of battery contents and decomposition products, resulting in severe reactions hazardous to health and the environment. In principle, contact with leaked battery components can pose a risk to health and the environment. Sufficient body and respiratory protection is therefore required in contact with conspicuous batteries (leakage of contents, deformation, discoloration, dents, etc.). NiMH batteries can react very violently in combination with fire, for example. Battery components with considerable energy can be emitted.

As with other batteries, NiMH batteries can continue to be a source of danger even when they are supposedly discharged.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.













**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:**

Rechargeable NiMH batteries are products from which no substance is released when used properly.














**Dangerous components:**

CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel  Carc. 2, H351; STOT RE 1, H372  Skin Sens. 1, H317	10 – 55%
CAS: 1313-99-1 EINECS: 215-215-7 Index number: 028-003-00-2	nickel monoxide  Resp. Sens. 1, H334; Carc. 1A, H350i; STOT RE 1, H372  Aquatic Chronic 2, H411  Acute Tox. 4, H332; Skin Sens. 1, H317	0 – 55%
CAS: 12054-48-7 EINECS: 235-008-5 Index number: 028-008-00-X	nickel dihydroxide  Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1A, H350i; Repr. 1B, H360D; STOT RE 1, H372  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Skin Sens. 1, H317	0 – 55%
CAS: 11104-61-3 EINECS: 234-334-5	Cobalt oxide  Acute Tox. 3, H301; Acute Tox. 2, H330  Resp. Sens. 1, H334; Carc. 2, H351; Repr. 1B, H360  Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)  Skin Sens. 1, H317	≤ 8.3%

(Contd. on page 3)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 2)

CAS: 7439-96-5 EINECS: 231-105-1	manganese substance with a Community workplace exposure limit	0 – 8%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-XXXX	potassium hydroxide  Met. Corr. 1, H290; Skin Corr. 1A, H314  Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 % Met. Corr. 1; H290: C ≥ 0.1 %	< 7.0%
CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-001-00-9	cobalt  Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1A, H350i; Repr. 2, H361  Acute Tox. 4, H302; Skin Sens. 1, H317 Aquatic Chronic 4, H413	< 6.0%
CAS: 21041-93-0 EINECS: 244-166-4	Cobalt dihydroxide  Acute Tox. 1, H330  Resp. Sens. 1B, H334; Carc. 1B, H350; Repr. 1B, H360  Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411  Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317	< 6.0%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	sodium hydroxide  Met. Corr. 1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Dam. 1; H318: C ≥ 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 % Met. Corr. 1; H290: C ≥ 0.1 %	≤ 4.0%
CAS: 1310-65-2 EINECS: 215-183-4 Reg.nr.: 01-2119560576-31-XXXX	lithium hydroxide  Skin Corr. 1B, H314  Acute Tox. 4, H302	0 – 4%
CAS: 31175-20-9 EC number: 680-985-7	ethanesulfonic acid, 2-[1-[difluoro[(1,2,2-trifluoroethyl)oxy]methyl]-1,2,2,2-tetrafluoroethoxy]-1,1,2,2-tetrafluoro-, polymer with 1,1,2,2-tetrafluoroethene  Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≤ 3.2%
CAS: 1314-13-2 EINECS: 215-222-5 Index number: 030-013-00-7	zinc oxide  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 3.0%

(Contd. on page 4)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 3)

CAS: 7440-66-6 EINECS: 231-175-3	zinc - massive substance with a Community workplace exposure limit	< 3.0%
CAS: 7429-90-5 EINECS: 231-072-3	aluminium substance with a Community workplace exposure limit	< 2.0%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General information:**

In normal cases no specific measures needed.

It always applies:

In case of discomfort or doubt, seek medical advice.

If unconscious, use a stable lateral position and do not administer anything through mouth.

The following measures apply to contact with the contents of a damaged battery:

**After inhalation:**

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Take off contaminated clothing and wash it before reuse.

Seek medical treatment in case of complaints.

**After eye contact:**

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an ophthalmologist or eye clinic immediately.

**After swallowing:**

Rinse mouth thoroughly with cold water. Do not induce vomiting. If the patient is fully conscious, give one or two glass of water to drink. Get medical attention immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing agents:**

CO<sub>2</sub>, foam, dry extinguishing agent

Dry sand

**For safety reasons unsuitable extinguishing agents:** Water with full jet

**5.2 Special hazards arising from the substance or mixture**

Batteries may burst at high temperatures, which may result in flammable, toxic and/or corrosive vapours.

In case of fire, the following can be released:

(Contd. on page 5)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 4)

COx

carcinogenic nickel- und cobalt oxides

**5.3 Advice for firefighters**

**Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

**Additional information**

Remove container from fire, if possible without risk.

Cool endangered receptacles with water spray.

Ensure adequate ventilation.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Restricted access to the affected area until cleaning work is completed.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid skin and eye contact with damaged batteries.

**6.2 Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

**6.3 Methods and material for containment and cleaning up:**

Cover leaked material with inert absorbent material (sand or soil) and dispose of in suitable containers.

Clean again.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Always follow the warning information on the batteries and in the manuals of devices. Only use the recommended battery types. Keep batteries away from children. For devices to be used by children, the battery casing should be protected against unauthorized access. Unpacked batteries shall not lie about in bulk. In case of battery change always replace all batteries by new ones of identical type and brand. Do not swallow batteries. Do not throw batteries into water. Do not throw batteries into fire. Avoid deep discharge. Do not short-circuit batteries Use recommended charging time and current.

Observe protective measures and safety instructions.

**Information about fire - and explosion protection:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:**

Store in dry conditions.

Store in a cool location.

(Contd. on page 6)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 5)

Protect from heat and direct sunlight.

Store in accordance with local/regional/national/international regulations.

**Information about storage in one common storage facility:**

Store away from oxidising agents.

Do not store together with acids.

**Further information about storage conditions:**

Protect against moisture.

Do not storage the Battery haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects.

**Recommended storage temperature:** room temperature

**Storage class:** 11

**7.3 Specific end use(s)** No further relevant information available.

**\* SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

NiMH batteries are products from which no substances are released under normal and reasonably foreseeable conditions of use.

**Ingredients with limit values that require monitoring at the workplace:**

**CAS: 7440-02-0 nickel**

MAK (Austria)	siehe Anhang III A 1
TRK (Austria)	Short-term value: 2E; 0.2E* mg/m <sup>3</sup> Long-term value: 0.5E; 0.05E* mg/m <sup>3</sup> Stäube; *einatembare Tröpfchen; als Ni
AGW (Germany)	Long-term value: 0.006A; 0.030E* mg/m <sup>3</sup> 8(II);AGS, 24, Sh, Y, 10*, 31*
LEP (Spain)	Long-term value: 1 mg/m <sup>3</sup> Sen, r
VLEP (France)	Long-term value: 1 mg/m <sup>3</sup> C2
WEL (Great Britain)	Long-term value: 0.5 mg/m <sup>3</sup> as Ni; Sk; Carc
TWA (Italy)	Long-term value: 1.5 mg/m <sup>3</sup> A5, (i)

**CAS: 1313-99-1 nickel monoxide**

TRK (Austria)	Short-term value: 2E; 0.2E* mg/m <sup>3</sup> Long-term value: 0.5E; 0.05E* mg/m <sup>3</sup> Stäube; *einatembare Tröpfchen; als Ni
AGW (Germany)	Long-term value: 0.030E mg/m <sup>3</sup> 8(II);AGS, Sh, Y, 10, 24, 31
TRGS 910 (Germany)	Short-term value: 0.006 (A) mg/m <sup>3</sup> Long-term value: 0.006 (A) mg/m <sup>3</sup> 8, Konzentrationen beziehen sich auf Ni-Gehalt

(Contd. on page 7)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 6)

LEP (Spain)	Long-term value: 0.2 mg/m <sup>3</sup> C1, c, Sen, r, como Ni
VLEP (France)	Long-term value: 1 mg/m <sup>3</sup> C1A
WEL (Great Britain)	Long-term value: 0.5 mg/m <sup>3</sup> as Ni; Sk; Carc
<b>CAS: 12054-48-7 nickel dihydroxide</b>	
TRK (Austria)	Short-term value: 2E; 0.2E* mg/m <sup>3</sup> Long-term value: 0.5E; 0.05E* mg/m <sup>3</sup> Stäube; *einatembare Tröpfchen; als Ni
AGW (Germany)	Long-term value: 0.030E mg/m <sup>3</sup> 8(II);AGS, Sh, Y, 10, 24, 31
TRGS 910 (Germany)	Short-term value: 0.006 (A) mg/m <sup>3</sup> Long-term value: 0.006 (A) mg/m <sup>3</sup> 8, Konzentrationen beziehen sich auf Ni-Gehalt
VLEP (France)	Long-term value: 1 mg/m <sup>3</sup> C1A, M2, R1B
WEL (Great Britain)	Long-term value: 0.5 mg/m <sup>3</sup> as Ni; Sk; Carc
<b>CAS: 7439-96-5 manganese</b>	
IOELV (EU)	Long-term value: 0.2* 0.05** mg/m <sup>3</sup> as Mn; *inhalable, **respirable fraction
MAK (Austria)	Short-term value: 1.6 E, 0.16 A mg/m <sup>3</sup> Long-term value: 0.2 E, 0.05 A mg/m <sup>3</sup> Als Mn berechnet
AGW (Germany)	Long-term value: 0.02A; 0.2E mg/m <sup>3</sup> 8(II);DFG,Y,10, 20
LEP (Spain)	Long-term value: 0.2* 0.05** mg/m <sup>3</sup> VLI, *inhalable, **respirable: d
VLEP (France)	Long-term value: 0.05* 0.20** mg/m <sup>3</sup> *fraction alvéolaire **inhalable; en manganèse
WEL (Great Britain)	Long-term value: 0.2* 0.05** mg/m <sup>3</sup> as Mn *inhalable fraction **respirable fraction
TWA (Italy)	Long-term value: (0.2) mg/m <sup>3</sup> (come Mn)
VL (Italy)	Long-term value: 0.2* 0.05** mg/m <sup>3</sup> Cute,* frazione inalabile **respirabile; come Mn
WGW (Netherland)	Long-term value: 0.2* 0.05** mg/m <sup>3</sup> als Mn; *inhaleerbaar **respirabel
<b>CAS: 1310-58-3 potassium hydroxide</b>	
MAK (Austria)	Long-term value: 2 E mg/m <sup>3</sup>
LEP (Spain)	Short-term value: 2 mg/m <sup>3</sup>

(Contd. on page 8)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 7)

VLEP (France)	Short-term value: 2 mg/m <sup>3</sup>
WEL (Great Britain)	Short-term value: 2 mg/m <sup>3</sup>
TWA (Italy)	Ceiling limit: 2 mg/m <sup>3</sup>
<b>CAS: 7440-48-4 cobalt</b>	
MAK (Austria)	siehe Anhang III A 2
TRK (Austria)	Short-term value: 0.4E; 2E* mg/m <sup>3</sup> Long-term value: 0.1E; 0.5E* mg/m <sup>3</sup> *Pulveraufarbeitung, mechanische Bearbeitung
MAK (Germany)	einatembare Fraktion; vgl.Abschn.XIII
LEP (Spain)	Long-term value: 0.02 mg/m <sup>3</sup> VLB, Sen, Como Co
WEL (Great Britain)	Long-term value: 0.1 mg/m <sup>3</sup> as Co; Carc, Sen
TWA (Italy)	Long-term value: 0.02 mg/m <sup>3</sup> A3, IBE (come Co)
WGW (Netherland)	Long-term value: 0.02 mg/m <sup>3</sup> stof en rook (als Co)
<b>CAS: 1310-73-2 sodium hydroxide</b>	
MAK (Austria)	Short-term value: 4 E mg/m <sup>3</sup> Long-term value: 2 E mg/m <sup>3</sup>
MAK (Germany)	vgl.Abschn.IIb
LEP (Spain)	Short-term value: 2 mg/m <sup>3</sup>
VLEP (France)	Long-term value: 2 mg/m <sup>3</sup>
WEL (Great Britain)	Short-term value: 2 mg/m <sup>3</sup>
TWA (Italy)	Ceiling limit: 2 mg/m <sup>3</sup>
<b>CAS: 1310-65-2 lithium hydroxide</b>	
MAK (Germany)	vgl. Abschn. IIb
WEL (Great Britain)	Short-term value: 1 mg/m <sup>3</sup>
<b>CAS: 1314-13-2 zinc oxide</b>	
MAK (Austria)	Long-term value: 5 A mg/m <sup>3</sup>
MAK (Germany)	Long-term value: 1A mg/m <sup>3</sup> Rauch
LEP (Spain)	Short-term value: 10* mg/m <sup>3</sup> , 2* ppm *Fracción respirable: d
VLEP (France)	Long-term value: 5* 10** mg/m <sup>3</sup> *fumées **poussières
TWA (Italy)	Short-term value: 10 mg/m <sup>3</sup> Long-term value: 2 mg/m <sup>3</sup> (j)

(Contd. on page 9)



**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 8)

<b>CAS: 7440-66-6 zinc - massive</b>	
MAK (Germany)	Long-term value: 0.1A* 2E** mg/m <sup>3</sup> *alveolengängig; **einateubar
<b>CAS: 7429-90-5 aluminium</b>	
MAK (Austria)	Short-term value: 20 E mg/m <sup>3</sup> Long-term value: 10 E mg/m <sup>3</sup> (als Metall)
AGW (Germany)	Long-term value: 1.25* 10** mg/m <sup>3</sup> 2(II);*alveolengängig**einateubar; AGS, DFG
LEP (Spain)	Long-term value: 10 5* mg/m <sup>3</sup> *Humos de soldadura, Polvos aluminotermia; como Al
VLEP (France)	Long-term value: 5* 10** mg/m <sup>3</sup> *pulvérulent **métal
WEL (Great Britain)	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
TWA (Italy)	Long-term value: 1 mg/m <sup>3</sup> A4, (j); metallico e composti insolubili
WGW (Netherland)	Long-term value: 0.05* mg/m <sup>3</sup> *Metaal en onoplosbare verb., inadembaar (privaat)

**Regulatory information**

MAK (Austria): GKV 2018, 254. Verordnung, 24.9.2018, Teil II

AGW (Germany): TRGS 900

LEP (Spain): Límites de exposición profesional para agentes químicos

VLEP (France): ED 1487 12.2020

WEL (Great Britain): EH40/2020

TWA (Italy): Valori Limite di Soglia

IOELV (EU): (EU) 2019/1831

VL (Italy): D.lgs. n. 81/2008

WGW (Netherland): Grenswaarden gezondheidsschadelijke stoffen

MAK (Germany): MAK- und BAT-Liste

**DNELs**

**CAS: 7440-02-0 nickel**

Oral	Long-term exposure - systemic effects	0.011 mg/kg bw/d (consumer)
	short-term exposure - systemic effects	0.37 mg/kg bw (consumer)
Dermal	Long-term exposure - local effects	0.035 mg/cm <sup>2</sup> (consumer) 0.035 mg/cm <sup>2</sup> (workers)
	Inhalative	Long-term exposure - systemic effects
	Long-term exposure - local effects	0.00006 mg/m <sup>3</sup> (consumer) 0.05 mg/m <sup>3</sup> (workers)
	short-term exposure - local effects	0.8 mg/m <sup>3</sup> (consumer)

(Contd. on page 10)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 9)

		11.9 mg/m <sup>3</sup> (workers)
<b>CAS: 7439-96-5 manganese</b>		
Dermal	Long-term exposure - systemic effects	0.002 mg/kg bw/d (consumer) 0.004 mg/kg bw/d (workers)
Inhalative	Long-term exposure - systemic effects	0.041 mg/m <sup>3</sup> (consumer) 0.2 mg/m <sup>3</sup> (workers)
	Long-term exposure - local effects	0.041 mg/m <sup>3</sup> (consumer) 0.2 mg/m <sup>3</sup> (workers)
<b>CAS: 1310-58-3 potassium hydroxide</b>		
Inhalative	Long-term exposure - systemic effects	1 mg/m <sup>3</sup> (workers)
	Long-term exposure - local effects	1 mg/m <sup>3</sup> (consumer)
<b>CAS: 7440-48-4 cobalt</b>		
Oral	Long-term exposure - systemic effects	0.0298 mg/kg bw/d (consumer)
Inhalative	Long-term exposure - local effects	0.0063 mg/m <sup>3</sup> (consumer) 0.04 mg/m <sup>3</sup> (workers)
<b>CAS: 1310-73-2 sodium hydroxide</b>		
Inhalative	Long-term exposure - local effects	1 mg/m <sup>3</sup> (consumer) 1 mg/m <sup>3</sup> (workers)
<b>CAS: 1314-13-2 zinc oxide</b>		
Oral	Long-term exposure - systemic effects	0.83 mg/kg bw/d (consumer)
Dermal	Long-term exposure - systemic effects	83 mg/kg bw/d (consumer) 83 mg/kg bw/d (workers)
Inhalative	Long-term exposure - systemic effects	2.5 mg/m <sup>3</sup> (consumer) 5 mg/m <sup>3</sup> (workers)
	Long-term exposure - local effects	0.5 mg/m <sup>3</sup> (workers)
<b>CAS: 7440-66-6 zinc - massive</b>		
Oral	Long-term exposure - systemic effects	0.83 mg/kg bw/d (consumer)
Dermal	Long-term exposure - systemic effects	83 mg/kg bw/d (consumer) 83 mg/kg bw/d (workers)
Inhalative	Long-term exposure - systemic effects	2.5 mg/m <sup>3</sup> (consumer) 5 mg/m <sup>3</sup> (workers)
<b>CAS: 7429-90-5 aluminium</b>		
Oral	Long-term exposure - systemic effects	7.9 mg/kg bw/d (consumer)
Inhalative	Long-term exposure - systemic effects	3.72 mg/m <sup>3</sup> (workers)
	Long-term exposure - local effects	3.72 mg/m <sup>3</sup> (workers)
<b>PNECs</b>		
<b>CAS: 7440-02-0 nickel</b>		
fresh water		7.1 µg/l

(Contd. on page 11)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 10)

sea water	8.6 µg/l
STP	0.33 mg/l
sediment (fresh water)	109 mg/kg dw
sediment (sea water)	109 mg/kg dw
soil	29.9 mg/kg dw
oral	0.12 mg/kg food
<b>CAS: 7439-96-5 manganese</b>	
fresh water	0.034 mg/l
sea water	0.003 mg/l
STP	100 mg/l
sediment (fresh water)	3.3 mg/kg dw
sediment (sea water)	0.34 mg/kg dw
soil	3.4 mg/kg dw
<b>CAS: 7440-48-4 cobalt</b>	
fresh water	0.6 µg/l
sea water	2.36 µg/l
STP	0.37 mg/l
sediment (fresh water)	9.5 mg/kg dw
sediment (sea water)	9.5 mg/kg dw
soil	10.9 mg/kg dw
<b>CAS: 1314-13-2 zinc oxide</b>	
fresh water	20.6 µg/l
sea water	6.1 µg/l
STP	0.1 mg/l
sediment (fresh water)	117.8 mg/kg dw
sediment (sea water)	56.5 mg/kg dw
soil	35.6 mg/kg dw
<b>CAS: 7440-66-6 zinc - massive</b>	
fresh water	20.6 µg/l
sea water	6.1 µg/l
STP	0.1 mg/l
sediment (fresh water)	235.6 mg/kg dw
sediment (sea water)	121 mg/kg dw
soil	106.8 mg/kg dw

(Contd. on page 12)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 11)

<b>Ingredients with biological limit values:</b>	
<b>CAS: 7439-96-5 manganese</b>	
BGW (Germany)	20 µg/l Untersuchungsmaterial: Vollblut Probennahmezeitpunkt: bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten, Expositionsende bzw. Schichtende Parameter: Mangan
<b>CAS: 7440-48-4 cobalt</b>	
VLB (Spain)	15 µg/l Muestra: en orina Momento de Muestero: Final de la semana laboral Indicador Biológico: Cobalto
	1 µg/l Muestra: en sangre Momento de Muestero: Final de la semana laboral Indicador Biológico: Cobalto
IBE (Italy)	15 µg/l Campioni: urine Momento del prelievo: a fine turno a fine settimana lavorativa Indicatore biologico: cobalto
	1 µg/l Campioni: sangue Momento del prelievo: a fine turno a fine settimana lavorativa Indicatore biologico: cobalto
<b>CAS: 7429-90-5 aluminium</b>	
BGW (Germany)	50 µg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten Parameter: Aluminium

**Regulatory information**

BGW (Germany): TRGS 903

VLB (Spain): Límites de exposición profesional para agentes químicos

IBE (Italy): Indici Biologici di Esposizione

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls**

**Appropriate engineering controls**

No further data; see item 7.

Technical measures and the use of suitable working methods take priority over the use of personal protective equipment.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 13)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 12)

Keep away from foodstuffs, beverages and feed.

Do not eat or drink while working.

Avoid skin and eye contact with damaged batteries.

Avoid inhalation of spilled material.

Take off contaminated clothing and wash it before reuse.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye wash bottles and emergency showers should be provided in the immediate area near the workplace.

**Respiratory protection:** Not required when handling undamaged batteries.

**Hand protection**

Not required when handling undamaged batteries.

Wear protective gloves made of chloroprene or rubber if batteries are damaged.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection**

Not required when handling undamaged batteries.

Wear protective goggles if batteries are damaged.

**Body protection:** Not required when handling undamaged batteries.

**Environmental exposure controls** Do not allow to enter sewers/ surface or ground water.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

<b>Colour:</b>	Various colours
<b>Odour:</b>	Odourless
<b>Odour threshold:</b>	No information available.
<b>Melting point/freezing point:</b>	No information available.
<b>Boiling point or initial boiling point and boiling range</b>	No information available.
<b>Flammability</b>	Not determined.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	No information available.
<b>Upper:</b>	No information available.
<b>Flash point:</b>	Not applicable.
<b>Auto-ignition temperature:</b>	130 °C
<b>Decomposition temperature:</b>	No information available.
<b>pH</b>	Not applicable.

(Contd. on page 14)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 13)

**Viscosity:**

**Kinematic viscosity** Not applicable.

**Dynamic:** Not applicable.

**Solubility**

**water:** Insoluble.

**Partition coefficient n-octanol/water (log value)** No information available.

**Vapour pressure:** Not applicable.

**Density and/or relative density**

**Density:** No information available.

**Vapour density** Not applicable.

**Particle characteristics** See item 3.

**9.2 Other information**

**Appearance:**

**Form:** Solid

**Important information on protection of health and environment, and on safety.**

**Explosive properties:** No information available.

**Change in condition**

**Softening point/range**

**Oxidising properties** No information available.

**Evaporation rate** Not applicable.

**Information with regard to physical hazard classes**

**Explosives** Void

**Flammable gases** Void

**Aerosols** Void

**Oxidising gases** Void

**Gases under pressure** Void

**Flammable liquids** Void

**Flammable solids** Void

**Self-reactive substances and mixtures** Void

**Pyrophoric liquids** Void

**Pyrophoric solids** Void

**Self-heating substances and mixtures** Void

**Substances and mixtures, which emit flammable gases in contact with water** Void

**Oxidising liquids** Void

**Oxidising solids** Void

**Organic peroxides** Void

**Corrosive to metals** Void

**Desensitised explosives** Void

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No hazardous reactions known if stored and used as prescribed.

(Contd. on page 15)

Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)

(Contd. of page 14)

**10.2 Chemical stability** No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions**

When heated above 150°C the risk of rupture occurs. Due to special safety construction, rupture implies cont release of pressure without ignition.

**10.4 Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not expose the rechargeable battery to mechanical shock.

Do not disassemble, crush, short-circuit, or connect with incorrect polarity. Avoid mechanical or electrical abuse.

**10.5 Incompatible materials:**

strong oxidizing agents

strong acids

**10.6 Hazardous decomposition products:** In case of fire: see section 5

\* **SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Inhalation:** No probable route of exposure of the product itself. Inhalation of substances leaked from damaged batteries may irritate the respiratory tract and damage organs during prolonged or repeated exposure.

**Skin contact:** Contact with the undamaged battery does not present a hazard. Skin contact with damaged batteries may cause burns.

**Eye contact:** Contact with the undamaged battery does not constitute a hazard. Eye contact with spills from the damaged battery may cause burns.

**Ingestion:** No probable route of exposure of the product itself. Ingestion of spills may cause burns to the esophagus and stomach. Harmful if swallowed.

The product is declared as an article and is not subject to the CLP classification and labelling requirements.

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**CAS: 7440-02-0 nickel**

Oral	LD50	> 9,000 mg/kg (rat)
------	------	---------------------

**CAS: 7439-96-5 manganese**

Oral	LD50	9,000 mg/kg (rat)
------	------	-------------------

**CAS: 1310-58-3 potassium hydroxide**

Oral	LD50	273 mg/kg (rat)
------	------	-----------------

**CAS: 7440-48-4 cobalt**

Oral	LD50	6,170 mg/kg (rat)
------	------	-------------------

**CAS: 1310-65-2 lithium hydroxide**

Oral	LD50	363 mg/kg (mouse)
------	------	-------------------

(Contd. on page 16)

Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)

(Contd. of page 15)

<b>CAS: 1314-13-2 zinc oxide</b>		
Oral	LD50	> 5,000 mg/kg (rat)
Inhalative	LC50/4h	2,500 mg/m <sup>3</sup> (mouse)
<b>CAS: 7440-66-6 zinc - massive</b>		
Oral	LD50	> 2,000 mg/kg (rat)
Inhalative	LC50/4h	> 5.41 mg/l (rat)

**Skin corrosion/irritation**

The electrolyte contained in the cell or battery is classified as a caustic liquid and causes skin burns.

**Serious eye damage/irritation**

The electrolyte contained in the cell or battery is classified as a corrosive liquid and causes serious eye damage.

**Respiratory or skin sensitisation**

The electrolyte contained in the cell or battery contains sensitizing substances.

**Germ cell mutagenicity** Contains nickel dihydroxide.

**Carcinogenicity** The electrolyte contains nickel and cobalt compounds.

**Reproductive toxicity** The electrolyte contains cobalt compounds.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** The electrolyte contains nickel compounds.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Other information:** There is no danger from the undamaged battery.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

\* **SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:**

**CAS: 1310-58-3 potassium hydroxide**

LC50 (96 h) 80 mg/l (fish) (*Gambusia affinis*)

**CAS: 1310-73-2 sodium hydroxide**

EC50 (48 h) 40.4 mg/l (daphnia) (*Ceriodaphnia* sp.)

LC50 (96 h) 35 – 189 mg/l (fish)

EC50 (24 h) 76 mg/l (daphnia) (*Daphnia magna*)

**CAS: 1310-65-2 lithium hydroxide**

EC50 (72 h) 1.88 mg/l (algae)

**CAS: 1314-13-2 zinc oxide**

LC50 (96 h) 0.169 mg/l (fish) (*Onchorhynchus mykiss*)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

(Contd. on page 17)



Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)

(Contd. of page 16)

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects**

**Additional ecological information:**

**General notes:**

Avoid release to the environment.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Dispose only through authorized companies in accordance with local regulations.

**European waste catalogue**

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

16 06 05	other batteries and accumulators
----------	----------------------------------

**Uncleaned packaging:**

**Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.

**SECTION 14: Transport information**

**14.1 UN number or ID number**

ADR/RID/ADN, IMDG, IATA

UN3496

**14.2 UN proper shipping name**

ADR/RID/ADN


3496 Batteries, nickel-metal hydride

IMDG, IATA

Batteries, nickel-metal hydride

**14.3 Transport hazard class(es)**

IMDG, IATA



**Class**

9 Miscellaneous dangerous substances and articles.

**Label**

9

(Contd. on page 18)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 17)

<b>14.4 Packing group</b>	not regulated
<b>ADR/RID/ADN, IMDG, IATA</b>	
<b>14.5 Environmental hazards:</b>	Product contains environmentally hazardous substances: nickel dihydroxide
<b>14.6 Special precautions for user</b>	Not applicable.
<b>Hazard identification number (Kemler code):</b>	-
<b>EMS Number:</b>	F-A,S-I
<b>Stowage Category</b>	A
<b>Stowage Code</b>	SW1 Protected from sources of heat.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	<b>Not subject to the provisions of ADR/RID/ADN. IATA:</b> Lighting components, not restricted as per special provision A199.

<b>ADR/RID/ADN</b>	
<b>Transport category</b>	-
<b>Tunnel restriction code</b>	-

<b>IMDG</b>	
<b>Limited quantities (LQ)</b>	0
<b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
<b>UN "Model Regulation":</b>	UN 3496 BATTERIES, NICKEL-METAL HYDRIDE, 9

**\* SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Labelling according to Regulation (EC) No 1272/2008**

According to REACH, the product is an article and therefore not subject to classification and labelling according to CLP Regulation (EC) No. 1272/2008.

There is no obligation to prepare safety data sheets for articles. This data sheet describes the safety requirements and is based on the safety data sheet according to REACH Regulation (EC) No. 1907/2006.

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 27

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

(Contd. on page 19)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 18)

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H350i May cause cancer by inhalation.
- H351 Suspected of causing cancer.
- H360 May damage fertility or the unborn child.
- H360D May damage the unborn child.
- H361 Suspected of damaging fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

**Training hints**

Regular training of staff involved in the transport of dangerous goods (in accordance with Chapter 1.3 ADR).

**Department issuing SDS:**

UmEnA GmbH  
<http://umena.at>  
Email: [office@umena.at](mailto:office@umena.at)

**Date of previous version:** 25.09.2020

(Contd. on page 20)

**Trade name: Nickel Metallhydrid Akku /Akku-Pack (NiMH)**

(Contd. of page 19)

**Version number of previous version: 1.1**

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 1: Acute toxicity – Category 1

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1

Resp. Sens. 1B: Respiratory sensitisation – Category 1B

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 1A: Carcinogenicity – Category 1Ai

Carc. 1B: Carcinogenicity – Category 1B

Carc. 2: Carcinogenicity – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

**\* Data compared to the previous version altered.**